

दरपत्रके मागविणेकरीता निविदा सूचना

राष्ट्रीय सुगी सुगी पश्चात तंत्रज्ञान संस्थेमध्ये CoE प्रकल्पाकरीता संगणक (AIO), लॅपटॉप, प्रिंटर कम स्कॅनर व यु.पी.एस. खरेदी करावयाचे आहेत तरी वितरक/पुरवठादार यांचेकडून दरपत्रके मागविणेत येत आहेत.

अ.क्र.	खरेदी करावयाचे साहित्य	संख्या	अंदाजित किंमत
१	All in one Desktop (AIO) Computer	४	३,४०,०००/-
२	Laptop	१	७५,०००/-
३	Canon Image CLASS MF 3010 (Printer)	२	३३,०००/-
४	UPS	४	११,४००/-
एकुण रक्कम जी.एस.टी वगळून			४,५९,४००/-

सदर कामाची अंदाजीत किंमत असून खरेदी करावयाच्या साहित्याचा तपशिल (BOQ) सोबत जोडला आहे. त्यामध्ये नमुद स्पेसिफिकेशन्स विचारात घेऊन बाबनिहाय दर भरून दरपत्रक सादर करावे.

दरपत्रकासोबत खालीलप्रमाणे कागदपत्रे सादर करणे आवश्यक आहे.

- १) सक्षम प्राधिकरणाचे नोंदणी प्रमाणपत्राची छायाप्रत
- २) GST नोंदणी पत्राची छायांकीत प्रत
- ३) पॅन कार्डची छायांकीत प्रत

सदर काम करण्याबाबत अटी व शर्ती खालीलप्रमाणे.

- १) सदर खरेदी करीता कोणत्याही प्रकारचा अग्रीम दिला जाणार नाही.
- २) सदर खरेदीची मुदत कामाच्या आदेशाच्या दिनांकापासून १५ दिवस राहिल.
- ३) उपरोक्त साहित्य संस्थेत पोहोच केल्यानंतर त्याची तांत्रिक तपासणी करून घेण्यात येईल.
- ४) साहित्य योग्य असल्याची खात्री झाल्यानंतर बिल अदा करण्यात येईल.
- ५) सर्व संगणक साहित्यांची वॉरंटी व गॅरंटी कार्ड सोबत असल्याशिवाय संगणकीय साहित्य स्विकारले जाणार नाही.

सिलबंद दरपत्रक राष्ट्रीय सुगी सुगी पश्चात तंत्रज्ञान संस्थेच्या CoE प्रकल्प संगणक साहित्य खरेदी कामांसाठी दरपत्रक असे नमुद करून राष्ट्रीय सुगी पश्चात तंत्रज्ञान संस्था, स.नं. ३९८-४००, जुना पुणे मंबई हायवे, सी.आर.पी.एफ. कॅम्प शेजारी. तळेगाव दाभाडे, ता. मावळ, जिल्हा- पुणे ४१०५०६. या ठिकाणी दि. ०७/०९/२०२२ पर्यंत सकाळी ११.०० ते सायं ५.०० या वेळेत जमा करावे. उशिरा प्राप्त झालेल्या तसेच अपुर्ण दरपत्रकांचा विचार करण्यात येणार नाही व सदर दरपत्रके नामंजूर करण्यात येतील.

सदर प्रक्रिया कोणत्याही स्तरावर रद्द करण्याचा अथवा त्यामध्ये बदल करण्याचा अधिकार संचालक, राष्ट्रीय सुगी पश्चात तंत्रज्ञान संस्था, तळेगाव दाभाडे, ता. मावळ, जि. पुणे यांनी राखून ठेवला आहे. दरपत्रकातील अटी व शर्ती याबाबत कोणत्याही प्रकारचा वाद निर्माण झाल्यास संचालक, राष्ट्रीय सुगी सुगी पश्चात तंत्रज्ञान संस्था, तळेगाव दा. पुणे यांचा निर्णय अंतिम राहिल.

संचालक

Laptop

Processor Make	Intel
Processor Generation	11
Number of Cores per Processor	4
Processor Base Frequency (GHz)	2.4
Processor Description	Intel Core i5
Processor Number	Intel Core i5 1135G7
Out of Band Management	NA
Cache (MB)	8
Form Factor	Standard
Chassis Material	ABS Plastic
Hinges	Metallic
Graphics Type	Integrated
Graphic Card Description	Intel UHD Graphics
Size of Memory in Case of Dedicated Graphic Card (GB)	0
Size of VRAM in case of Integrated Graphics (MB)	0
Operating System (Factory Pre-Loaded)	Windows 10 Home
Recovery Image Media	NA
OS Certification	Windows
Type of RAM	DDR4
RAM Size (GB)	8
RAM Speed (MHz)	2666
Total Numbers of DIMM Slots Available	2
Number of DIMM Slots populated	1
RAM Expandability up to (using spare DIMM Slots in GB)	16
Type of Drives used to populate the Internal Bays	SSD
Number of Internal Bays populated with HDD	0
Capacity of each HDD (GB)	NA
Total HDD Capacity (GB)	0
Number of Internal Bays populated with SSD	1
Capacity of each SSD (GB)	512
Total SSD Capacity (GB)	512
Number of Internal Bays populated with SSHD	0
Capacity of each SSHD (GB)	NA
Total SSHD Capacity in addition to 8 GB Flash (GB)	0
Number of Internal Bays populated with SSED	0
Capacity of each SSED (GB)	0



Total SSED Capacity (GB)	0
Optane Memory (GB)	0
Wireless Connectivity	Yes
If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac
Number of Ethernet Ports	1
If available, Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
Bluetooth Connectivity	Yes
If Yes, Version of Bluetooth Available	4.2
Number of USB Version 2 Point 0 Ports	1
Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	2
Number of USB Version 3 point 1, Gen 2 Ports	0
Number of USB Type C Ports	0
Number of Serial Ports	0
Number of VGA Ports	0
Number of HDMI Ports	1
Number of DP Ports	0
Number of Thunderbolt Port	0
Display Size (Inch)	15.6
Display Type	Non Touch
Display Technology	LED HD Backlit Antiglare
Panel Technology	VA
Display Resolution (Pixels)	1920x1080
Availability of Webcam integrated with Display	Yes
If Yes, Resolution of Webcam	FHD
Infra Red Webcam	No
Optical Drive	NA
Type of Optical Drive	N/A
Internal Speaker (Dual)	Yes
Audio-in	No
Audio-out	Yes
Headphone out	Yes
Microphone-in	No
Type of Keyboard	Standard
Backlit Keyboard	Yes
Spill Resistant Keyboard	Yes
Pointing Device/Touchpad	Touchpad with multi-touch gestures enabled
Finger Print Reader	Yes
Hardware Trusted Platform Enabled	Yes
Carry Case	Yes
If Yes, Type of Carry Case	Back Pack
Security Lock Slot	No

2

If Yes, Availability of Cable Lock	No
Weight (Including Battery) (Kilogram)	1.98
Battery Type	Integrated
Battery Chemistry	Li-Ion
Battery Capacity (Watt Hour)	41
Battery Backup Time (Hours) (Value exactly as per Mobile Mark 2014 to be indicated)	6
BIS Registration under CRS of MeitY	Yes
BIS Registration Number and its validity	
BEE / Energy Star for the given Model	Yes
ROHS Compliance	Yes
Other Certifications available	UL, CE, FCC
Minimum Operating Temperature	10 degree Celsius
Maximum Operating Temperature	35 degree Celsius
Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
Battery Warranty	1
On Site OEM Warranty	3

All in One Desktop

Processor Make	Intel
Processor Generation	10
Number of Cores per Processor	6
Processor Base Frequency (GHz)	2.3
Processor Description	Intel Core i5
Processor Number	Intel Core i5 10500T
Out of Band Management	NA
Cache (MB)	12
Chipset Series	Intel B Series
Chipset Number	Intel B460
Expansion Slots (M Dot 2)	2
Graphics Type	Integrated
Graphic Card Description	Integrated Graphics
Size of Memory in Case of Dedicated Graphic Card (GB)	0
Size of VRAM in case of Integrated Graphics (MB)	0
Operating System (Factory Pre-Loaded)	Windows 10 Home
Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud,
OS Certification	Windows
Type of RAM	DDR4
RAM Size (GB)	8

3

RAM Speed (MHz)	2666
Total Numbers of DIMM Slots Available	2
Number of DIMM Slots populated	1
RAM Expandability up to(using spare DIMM Slots in GB)	64
Type of Drives used to populate the Internal Bays	SSD
Number of Internal Bays populated with HDD	0
Capacity of each HDD (GB)	NA
Total HDD Capacity (GB)	0
Number of Internal Bays populated with SSD	1
Capacity of each SSD (GB)	512
Total SSD Capacity (GB)	512
Optane Memory (GB)	0
Display Size (INCHES)	21.5
Display Type	Non Touch
Panel Technology	WVA
Display Resolution (PIXELS)	1920x1080
Availability of Webcam integrated with Display	Yes
If yes, Resolution of Webcam	FHD
Availability of Speakers integrated with Display	Yes
If Yes, Number of Speakers available	2
Wireless Connectivity	Yes
If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac
Number of Ethernet Ports	1
Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
Bluetooth Connectivity	Yes
If Yes, Version of Bluetooth Available	5
Number of USB Version 2 Point 0 Ports	2
Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	3
Number of USB Version 3 point 1, Gen 2 Ports	0
Number of USB Type C Ports	1
Number of Serial Ports	0
Number of VGA Ports	0
Number of HDMI Ports	0
Number of DP Ports	1
Optical Drive	N/A
Audio-in	No
Audio-out	No
Headphone out	Yes
Microphone-in	Yes

4

Stand	Standard
Power Supply	External
Power Supply Capacity (Watt)	130
Minimum Power Efficiency Range (%)	85 - 90
BIS Registration under CRS of Meity	Yes
BIS Registration Number and its Validity	R-67000108
ROHS Compliance	Yes
BEE / Energy Star for the given Model	No
Other Certification Available	IIL, CE, FCC
Mouse Connectivity	Wired
Type of Mouse	Optical Scroll
Keyboard Connectivity	Wired
Type of Keyboard	Standard with Rupee Symbol
Minimum Operating Temperature	5 degree Celsius
Maximum Operating Temperature	35 degree Celsius
Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
On Site OEM Warranty (Year)	3

5

Line Inter Active UPS

Sr. No.	Item Description
1	2
	<p>Providing and Supplying Line Inter Active UPS (Backup 15-20 min) Input Voltage : 230VAC Single Phase 3 Wire , Input Voltage Range : 145VAC to 280VAC Input Frequency : 50HZ , Input Frequency Range : 47 to 53 Hz Output : Output Voltage : 230VAC, Single Phase , Output Frequency : 50HZ +1%Output Waveform : Stepped Approximation to sine Wave Indicators AC Normal : Solid Green Indication, Back-up : Flashing Red Indication Battery Low / Overload : Fast Blinking Red Indication Charging : Fast Green Indication Alarms AC Fail : Slow Buzzer Beeps , Battery Low : Fast Buzzer Beeps Protections Overload on Mains : Mains Fuse , Overload on Backup : UPS Shutdown Battery Deep Discharge : Battery Low Alarm Followed by shutdown Battery Type : Sealed lead Acid Maintenance free, Back-up time (Typical) : 15 ~ 20 minutes Rating : 12V,9Ah, Battery Recharge Time : 5 ~ 8 hours General Noise Level : < 45 dB , Operating Temperature : 0 C -45 C Physical Dimension (L x W x H) (mm) 305 x 100 x 145 , Weight Appox. 6kg OEM Warranty : 1 year</p>


⑥



PRINTER

imageCLASS MF3010

imageCLASS MF3010



Copy

Copy Type	Monochrome Laser
Copy Speed	Up to 18 / 19cpm (A4 / LTR)
Copy Resolution	Speed 600 x 400dpi priority mode:
	Resolution 600 x 600dpi priority mode:
Halftones	256 levels
Warm up Time (From Power On)	10s or less
Recovery Time (From Sleep Mode)	2s or less (Copy) 0.3s or less (Print)
First Copy Time (FCOT)	12.0 / 11.8s (A4 / LTR)
Paper Source	150 sheet cassette



Paper Weight	60 to 163g/m ² (cassette)
Paper Output	100 sheets (face down)
Zoom	50 - 200% in 10% increments
Copy Size	Platen: Up to A4 / LTR
Copy Features	2 on 1, ID Card Copy
Copy Memory	64MB (Shared)
Print	
Printer Type	Monochrome Laser
Print Speed	Up to 18 pages per minute / 19 pages per minute (A4 / LTR)
First Printout Time (FPOT)	7.8s / 7.7s (A4 / LTR)
Print Language	UFR II LT
Print Resolution	Up to 600 x 600dpi, 1 200 (equivalent) x 600dpi
Print Memory	64MB (Shared)
Scan	
Scan Type	CIS
Scan Resolution	Optical: Up to 600 x 600dpi Driver enhanced: Up to 9 600 x 9 600dpi
Colour Depth	24-bit
Document Size	Platen: Up to A4
Compatibility	TWAIN, WIA
Output File Format	Windows: Hi-Compression PDF, Searchable PDF, PDF, JPEG, TIFF, BMP Mac: PDF, JPEG, TIFF, BMP, PNG
Pull Scan	Yes, USB
Scan To PC	None
Interface / Software	
Standard Interface	USB 2.0 Hi-Speed
USB Function	Print, Scan
Compatible Operating Systems* ¹	Windows 8 (32 / 64-bit), Windows 7 (32 / 64bit), Windows Vista (32 / 64-bit), Windows XP (32 / 64bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux* ³
General Specifications	



LCD Display	7 Segment (1 digit) LED
Dimensions (W x D x H)	372 x 276 x 254mm (With the cassette closed)
	372 x 371 x 254mm (With the cassette opened)
Weight	w/CRG: 8.2kg
	w/o CRG: 7.6kg
Power Consumption	Maximum: 960W
	During Operation: 450W
	Standby: 2.5W
	Sleep: 1.4W
TEC (Typical Electricity Consumption)	0.6kWh/W
Toner Cartridge ^{*4}	Cartridge 925 ^{*2} (1 600 pages) (Bundled cartridge 700 pages)
Monthly Duty Cycle	8 000 pages
Recommended Monthly Print Volume	250 - 1 000 pages

Specifications are subject to change without notice.

- *1 Check here for printer driver updates.
- *2 Cartridge 925 in India.
- *3 Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from the www.canon-asia.com website when available.
- *4 Declared yield in accordance with ISO / IEC 19752.

- All prices above are inclusive of all taxes.

Copyright © 2021 Canon India Pvt Ltd. All rights reserved.